



Invitation for Bids for
Cutaway Buses (IFB 10-01)
Addendum No. 1
2/15/10

The following changes have been made to the specifications included in COAST IFB #10-01 dated February 1st, 2010.

If you have any questions regarding this addendum, please contact Jeremy LaRose, Manager of Operations and Planning at jarose@coastbus.org or by phone at 603-743-5777 x101.

Changes to:

Part I Solicitation


- 1.1.2.2 Solicitation Schedule offeror communications and requests shall be due February 23rd (originally stated “due at least 10 days before bid due date”).

Part V Technical Specifications

- 5.1.3.1 Clarification: The Contractor shall provide a vehicle with a 2010 Ford E-450 Super-Duty chassis, or approved equal.
- General: For all points regarding chassis specifications, vehicle shall meet OEM specifications for 2010 Ford E-450 chassis, or approved equal.
- 5.6.3 Tires size replace “LT225/75RX16” with “LT225/75”.
- 5.14.2 Replace “12 gauge galvanized or galvaneal steel” with “stainless steel”.
- 5.16.2 Delete “Panels shall be covered with a padded cloth.”
- 5.17.3 Clarification: refer to updated floor plan (attached) for seating arrangement.
- 5.17.5 Replace upholstery material “Holdsworth fabric style #YV/P23829” with “CMI Plush Orbit Blue #153”.
- 5.17.10 Replace “Freedman deluxe high back” with “Freedman 9500 series driver’s seat, or approved equal.”
Delete “and shall have 4-way adjustable power seat base.”
Replace “covered with Level 1 Vinyl upholstery” with “covered with level 4 Sierra Leathermate Raven black #206.”
- 5.18.1.3 Replace “clear opening width of 36” (minimum)” with “clear opening width of 32” (minimum)”
- 5.18.1.4 Replace “upper and lower design” with “solid glass”.

- 5.18.4.1 Clarification: “All doors” refers to all non-OEM doors.
- 5.21 Addition: LED back-up lights to be provided.
- 5.22.6 Delete “where possible”.
- 5.23.1 Replace “convex adjustable diminishing mirror mounted *above*” with “... mounted *below*”.
Delete “Mirror heads and adjustable support arms shall be stainless steel.”
- 5.25.3 Delete “horizontal grab rail 30” above the floor”
- 5.25.4 Delete “horizontal grab rail 30” above the floor”
- 5.30.15 Delete “RRA473BA Transit Style Raydome”
Delete “RG58-U antenna cable”
Clarification: Metal plate for ground plane to be installed as specified.
Replace “A one-foot square access panel” with “A minimum 5” square access panel”.
- 5.30.17 Delete all requirements for schedule holder. Schedule holder is not required.

Seating and floor plan update



Note: three (3) sets of foldaway seats mounted on the left (driver's) side of the vehicle, with two (2) front-to-back wheelchair securement locations. The dimensions shown are not exact.